SUMMER SIZZLERS

EFFIO-E 650 TVL

GREY AND WHITE HOUSING

EYE-E36-V2G-N
EYE-E36-V2W-N

1/3" SONY | EFFIO-E
650TVL | 2.8-12mm lens | 36pcs IR leds
Day and Night | 3-Axis Gimble
20-30m IR Range | Simple Install

EYEBALLS P35

NXT 2040 600 TVL

INT-N35-V2B-N

1/3" INTERLINE|600TVL
2.8-11mm lens | 2D Anti- Ghost
Privacy Masking | Plastic housing
OSD Menu | Digital Wide Dynamic Range

INTERNAL P26

NXT2040 600 TVL

GREY AND WHITE HOUSING

EYE-SN34-V2G-N
EYE-SN34-V2W-N

1/3" INTERLINE | 600TVL | 2.8-12mm lens
NEXTCHIP 2040 | IP66 RATING
48PCS IR Leds | 20-30m IR Range
Day and Night | OSD Menu

EYEBALLS P35

AVALON ATLANTIS

DISCOVERY

HDMI

4 CHN FULL D1 REAL TIME RECORDING
8 CHN REAL TIME CIF 30FPS
16 CHN REAL TIME CIF 30FPS

VGA + BNC | DUAL STREAM | PENTAPLEX
H.264 COMPRESSION | REMOTE ACCESS
PLUG AND PLAY | USB2.0 | 1 SATA HDD

DISCOVERY APP

4 CHN FULL D1 REAL TIME RECORDING
16 CHN REAL TIME CIF 30FPS

VGA + BNC HDMI | DUAL STREAM |
PENTAPLEX | H.264 COMPRESSION
NO NEED TO BUY A MONITOR JUST PLUG STRAIGHT IN THE BACK OF YOUR HDMI TV

CONNECT DIRECT TO YOUR TV! QVIS PSS COMPATIBLE
WITH ALL iAPOLLO/LX APOLLO/ DISCOVERY PLATFORMS

P29

NEW λ | Cortex **TERMINATOR PRO** For more details go to page 3

RAID 5 & 10 REDUNDANT PSU HOT SWAPABLE HARDDRIVES

CMOS 600 TVL

GREY, BLACK, AND WHITE HOUSING

EYE-600-FG-N
EYE-600-FB-N
EYE-600-FW-N

600TVL | 3.6mm lens | 24pcs IR leds
Dual Ring Design | Armoured housing
Simple install | 20-25m IR Range

EYEBALLS P34

NXT 2040 600 TVL

P400-SN34-V2G40-N

1/3" SONY|600TVL| 2.8-11mm lens
48pcs IR leds | 2D Anti-Ghost
Digital Wide Dynamic Range | 48pcs IR Leds

DUE MID AUGUST 2012

P400 P36

EFFIO-E 650 TVL

GREY, BLACK, AND WHITE HOUSING

EYE-E37-V2G-N
EYE-E37-V2B-N
EYE-E37-V2W-N

1/3" SONY|650TVL|2.8-12mm lens
36pcs IR leds|EFFIO-E|25-30 IR Range
2D Anti-Ghost | Second Video

DUE MID AUGUST 2012

EYEBALLS P22

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

Dear Qvis Customers

We've expanded our product offering with an extensive range of DVRs. There's something here for all of our customers: installer, distributor or onliner.

Our Sony Effio camera range (650TVL) has expanded and we still have all of our fantastic 600TVL Nextchip 2040 cameras.

If IP is your thing, our systems deliver better video quality with more cameras than anything our competitors offer. We have what you need, be it an entry-level 2TB system for a small office or a 30TB RAID10 system for an industrial application with 30+ IP cameras. Our Hybrids give you the option to seamlessly mix/match analog with IP.

With our fantastic prices (contact us), it is indeed hard to believe our products are for real. They are and here's why.

We sell more CCTV worldwide than any other independent wholesaler. This wouldn't be possible without high quality products at great prices. We either manufacture the products ourselves or are, typically, our suppliers' largest non-Asian customer - world-wide we ship thousands of DVRs and tens of thousands of cameras each and every month.

All customer service, technical support and returns are directly handled from our Austin, TX warehouse. Free shipping on orders over $500. Up to 60 days financing for qualified customers. And more. Please have a look through our catalog and web site and contact your sales representative for more details.

We are 100% condent in our products,prices and support. Give us a try.
If you disagree, we'll take the product back.

QVIS SECURITY

ENTERPRISE RANGE

CORTEX TERMINATOR PRO & RAID 5 & 10 OPTIONS P3-4
CORTEX STORAGE P5-6

PROFESSIONAL RANGE

CYBORG D1 RANGE P7
CYBORG HYBRID RANGE P8-11
CYBORG HYBRID 4U P12-13
TERMINATOR NVR RANGE P14-17
LX ZEUS & LXAPOLLO RANGE P18-25
650TVL CAMERA RANGE P26
PROFESSIONAL P400 RANGE P27-28
VANDAL DOME RANGE P29
INTERNAL DOMES/PIR P30
PTZ RANGE P31-32

CONSUMER RANGE

NEW DISCOVERY RANGE P33-40
STAR BUYS 420/600TVL P41
EYEBALL CAMERA RANGE P42
P400 CAMERA RANGE P43

ACCESSORIES

CABLE AND TRANSMISSION P44
POWER SUPPLY/TESTER P45

ENTERPRISE RANGE

λ | Cortex TRUE MULTI PLATFORM 16 & 32 CHN IP SOLUTIONS

ip cameras ip video management network storage hd video wall

Full HD 1080P

intel CORE Quad inside

λ | Cortex 4U TERMINATOR PRO

Cortex ZMS

Cortex ZMS is the solution for central management of multiple cameras and NVRs across one or more sites.

The Cortex ZMS comes with all features required for a security control room operation:

- ✓ Unlimited number of cameras and NVRs
- ✓ Unlimited storage (local or remote)
- ✓ Unlimited number of high definition video wall displays
- ✓ Unlimited number of operator workstations
- ✓ Access control integration
- ✓ Team alarm management
- ✓ Cross platform to integrate multiple IP camera manufacturers

CORTEX TERMINATOR PRO 16 CHANNELS	HARD DRIVE	DIGITAL CHANNEL	CHNS
CTPRO16-4U-12	12TB	16IP	16CHN
CTPRO16-4U-15	15TB	16IP	16CHN
CTPRO16-4U-21	21TB	16IP	16CHN
CTPRO16-4U-30	30TB	16IP	16CHN

CORTEX TERMINATOR PRO 32 CHANNELS	HARD DRIVE	DIGITAL CHANNEL	32CHN
CTPRO32-4U-12	12TB	16IP	32CHN
CTPRO32-4U-15	15TB	16IP	32CHN
CTPRO32-4U-21	21TB	16IP	32CHN
CTPRO32-4U-30	30TB	16IP	32CHN

RAID 5 OR RAID 10 OPTION AVAILABLE

CORTEX RAID PRODUCTS ARE WORKING:

- ✓ HOSPITALS
- ✓ COLLEGES
- ✓ SUPERMARKETS
- ✓ SCHOOLS
- ✓ UNIVERSITIES

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

ENTERPRISE RANGE

RAID EXPLAINED

REDUNDANT ARRAY OF INDEPENDENT DISKS

WHAT IS RAID? (REDUNDANT ARRAY OF INDEPENDENT DISKS)

The main concept of RAID is the ability to take multiple drives and have them virtualised as a single drive. Data is distributed across the drives in one of several ways called "RAID levels" depending on what level of redundancy and performance is required. The main purpose of RAID is to protection against data loss in the event of hard drive failure.

CORTEX RAID 5 EXPLAINED



Cortex Raid 5 stripes both the data as well as the parity information across three or more than three drives put together to make a fault tolerant drive. The benefit of using a RAID 5 array is that you can easily adjust the stripe sizes in order to match the application that is under usage.

This device offers larger capacity, superior performance and reliability.

RAID

CORTEX RAID 10 EXPLAINED



Cortex RAID 10 works by striping and mirroring your data across at least two disks.

Mirroring: writing your data to two or more disks at the same time. Even if one disk fails completely, the mirror preserves the information.

Striping: breaking your data up into chunks and writing the chunks to different disks in succession. It improves performance because the computer can get data off more than one disk simultaneously.

λ | Cortex TERMINATOR PRO

RAID 5 OPTIONS:



CORTEX TERMINATOR PRO	RECORD CAPACITY	PHYSICAL SIZE	RAID 5 RACK	DIGITAL CHANNEL
CTPRO16-4U-12R5	9TB	12TB	4U	16IP
CTPRO16-4U-20R5	16TB	20TB	4U	16IP
CTPRO16-4U-30R5	24TB	30TB	4U	16IP
CTPRO32-4U-12R5	9TB	12TB	4U	32IP
CTPRO32-4U-20R5	16TB	20TB	4U	32IP
CTPRO32-4U-30R5	24TB	30TB	4U	32IP

RAID 10 OPTIONS:



CORTEX TERMINATOR PRO	RECORD CAPACITY	PHYSICAL SIZE	RAID 10 RACK	DIGITAL CHANNEL
CTPRO16-4U-12R10	6TB	12TB	4U	16IP
CTPRO16-4U-20R10	10TB	20TB	4U	16IP
CTPRO16-4U-30R10	15TB	30TB	4U	16IP
CTPRO32-4U-12R10	6TB	12TB	4U	32IP
CTPRO32-4U-20R10	10TB	20TB	4U	32IP
CTPRO32-4U-30R10	15TB	30TB	4U	32IP

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

ENTERPRISE RANGE

λ | Cortex STORAGE

4U RACK WITH UP TO
45 HARDDRIVES, UP TO 135TB

CUBE WITH UP TO
10 HARDDRIVES, UP TO 30TB

CORTEX NETWORK STORAGE OPTIONS

OPTIONAL
RAID 5 or 10

31 DAYS REALTIME STORAGE SOLUTIONS ON 16 & 32 CHN

CORTEX STORAGE

Is an extreme density storage array that was designed with one thing in mind - to set a new standard for cost-effective high-capacity storage systems. The result is a truly cost-effective, yet very flexible and a rock solid solution. Cortex storage is the ideal solution for CCTV projects that range in sizes for airports, ports, rail, schools, public space, hospitals, manufacturing plants, universities, government projects, prisons and many more.

SAN AND NAS IN A SINGLE BOX

The device provides both block and file-level services simultaneously. Depending on the version, the support interface are Fibre Channel, Gigabit Ethernet and 10 Gigabit Ethernet.
Supports block-level protocols are FCP and ISCSI and file-level protocols are SMB/ CIF and NFS.

MULTIPLE RAID LEVEL SUPPORT

The Cortex storage supports RAID 0, 1, 1+0,5 and 10.

Fibre Optic Network Infrastructure maybe required to enhance the near-perfect image quality that the Cortex IP solutions offer.

CORTEX STORAGE PRODUCTS ARE ALREADY WORKING IN:

SUPERMARKETS

HOSPITALS

COLLEGES/SCHOOLS

OTHER IDEAL SITES: CONTACT US TO DISCUSS YOUR PROJECT!

TOWN CENTRES | AIRPORTS| PRISONS | CONTROL ROOMS | LARGE INDUSTRIAL PROJECTS

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

ENTERPRISE RANGE

λ | Cortex STORAGE

CORTEX NETWORK STORAGE FEATURES:

- Rack or cube standalone storage
- All major file and block level protocols (SMB/CIFS, NFS, iSCSI)
- Compatible with all major DVRs/NVRs and also Windows/Mac/Linux
- 2 x gigabit Ethernet
- Optional 10-gigabit Ethernet
- Full featured web administration interface
- Easily upgradeable solid-state operating system
- External LED display with health check & performance statistics
- Storage device is internet-enabled and a premium remote support service is available on a 24h/48h reaction time basis
  (at an additional subscription charge)

SPECIALIST CCTV MODE WITH EASY CONFIGURATION AND ENHANCED PERFORMANCE

CORTEX STORAGE	CASE	HD SIZE
CORTEX-S30	CUBE	30TB
CORTEX-S45	RACK	45TB
CORTEX-S90	RACK	90TB
CORTEX-S135	RACK	135TB

STANDARD

CORTEX STORAGE + RAID 5	CASE	HD SIZE	RAID
CORTEX-S30-R5	RACK	30TB	RAID 5
CORTEX-S45-R5	RACK	45TB	RAID 5
CORTEX-S90-R5	RACK	90TB	RAID 5
CORTEX-S135-R5	RACK	135TB	RAID 5

RAID 5

CORTEX STORAGE + RAID 10	CASE	HD SIZE	RAID
CORTEX-S30-R10	RACK	30TB	RAID 10
CORTEX-S45-R10	RACK	45TB	RAID 10
CORTEX-S90-R10	RACK	90TB	RAID 10
CORTEX-S135-R10	RACK	135TB	RAID 10

RAID 10

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

PROFESSIONAL RANGE

CYBORG D1 16/32CHN

Upgrade to IP at a later date without the need for new hardware

FUTURE PROOF YOUR CUSTOMERS, UPGRADE TO IP AT A LATER DATE

S7 Powered by Stretch

intel CORE 2 Quad inside

IP UPGRADE PER CHANNEL

UP TO 16 ANALOG CAMERAS

+

UP TO 16 IP CAMERAS

CYBORG D1 FEATURES

- ✓ Up to 16/32 analog total channels of video
- ✓ Rack or cube DVD writer, optional Blu-ray
- ✓ H.264 codec for low bandwidth
- ✓ 1080p HDMI, VGA or DVI
- ✓ Up to 12TB of internal storage
- ✓ 100% integrated with the CORTEX IP cameras
- ✓ D1 30fps recording rate
- ✓ Gigabit network interface built-in
- ✓ Linux stability: no viruses, random software updates, etc.
- ✓ Covert camera facility
- ✓ Backup video saved in universal iTunes format
- ✓ Advanced playback and live viewing, real-time playback and live viewing of up to 16 cameras
- ✓ Simultaneous live and playback of both analog
- ✓ Mobile phone support (for both IP and analog camera viewing)
- ✓ Compatible with Windows & stems

16 CHANNEL			
CYBORG D1 CUBE	**Analog**	**HDD SIZE**	**16 CHANNELS**
CYBORG-CUBE-16-2TB	16 CHN D1	2TB	
CYBORG-CUBE-16-4TB	16 CHN D1	4TB	

16 CHANNEL			
CYBORG D1 RACK	**Analog**	**HDD SIZE**	**16 CHANNELS**
CYBORG-RACK-16-2TB	16 CHN D1	2TB	
CYBORG-RACK-16-4TB	16 CHN D1	4TB	
CYBORG-RACK-16-8TB	16 CHN D1	8TB	

PROBABLY THE COOLEST APP IN THE WORLD "QVIS VIEWER"

QVIS SECURITY

WWW.QVISSECURITY.COM

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

PROFESSIONAL RANGE

λ | Cortex CYBORG HYBRID

CYBORG HYBRID SUPPORTS 16CHN D1 + 16CHN IP 2MP

Seamless integration on Cyborg Hybrid between analog and digital

UP TO
32 CHANNELS

FUTURE PROOF YOUR CUSTOMERS INVESTMENT WITH CYBORG HYBRID DVR, MIGRATE NOW OR LATER TO IP MEGAPIXEL CAMERAS

CYBORG HYBRID FEATURES

- 32 total channels of video recording
- 16 full D1 realtime and 16 2MP IP cameras
- 1080p HDMI, VGA and DVI
- DVD writer, Blu-ray optional
- 2U & 4U rack-mountable
- Up to 40TB of internal storage
- RAID 0, 1, 5 and 10 optional
- Gigabit network interface built-in
- Backup video saved in universal iTunes format; use any player; no file conversion
- Backup via built-in DVD/Blu-ray, flash drive, USB HDD, USB CD/DVD/Blu-ray and remote network download

CORTEX CYBORG & TERMINATOR SNIFFER FUNCTION EXPLAINED:

16 CHANNEL 2U

CYBORG HYBRID RACK	ANALOG	HDD SIZE	DIGITAL CHN	
CYBORG-RACKH-2-2TB	16CHN D1	2TB	2 IP	16 CHN D1 + UP TO 16 IP 2MP 25FPS
CYBORG-RACKH-2-4TB	16CHN D1	4TB	2 IP	
CYBORG-RACKH-2-8TB	16CHN D1	8TB	2 IP	
CYBORG-RACKH-2-12TB	16CHN D1	12TB	2 IP	
CYBORG-RACKH-4-4TB	16CHN D1	4TB	4 IP	
CYBORG-RACKH-4-6TB	16CHN D1	6TB	4 IP	
CYBORG-RACKH-4-8TB	16CHN D1	8TB	4 IP	
CYBORG-RACKH-4-12TB	16CHN D1	12TB	4 IP	
CYBORG-RACKH-8-6TB	16CHN D1	6TB	8IP	
CYBORG-RACKH-8-8TB	16CHN D1	8TB	8IP	
CYBORG-RACKH-8-12TB	16CHN D1	12TB	8IP	
CYBORG-RACKH-16-8TB	16CHN D1	8TB	16IP	
CYBORG-RACKH-16-12TB	16CHN D1	12TB	16IP	

PROBABLY THE COOLEST APP IN THE WORLD "QVIS VIEWER"

FOR 4U RACKS PLEASE CONTACT YOUR ACCOUNT MANAGER

WWW.QVISSECURITY.COM

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

PROFESSIONAL RANGE

λ | Cortex CYBORG HYBRID & NVR EXPLAINED

Seamless integration on Cyborg Hybrid between analog and digital

CYBORG HYBRID SOFTWARE

- ✓ Makes IP cameras appear exactly the same as Analog cameras, except IP cameras have much higher resolution
- ✓ 100% integration with the CORTEX IP camera range
- ✓ Covert camera facility
- ✓ Advanced playback and live viewing of up to 16 cameras
- ✓ Simultaneous live and playback of any mix of analog and IP cameras
- ✓ iPhone and Android support (simultaneous IP and analog camera viewing)
- ✓ Compatible with Windows & Apple PCs, IE 7, 8, 9, Chrome, Safari, Firefox and Opera
- ✓ Continuous, motion or alarm-based recording for both analog and IP cameras
- ✓ Schedule-based recording for both analog and IP cameras
- ✓ 100% time-based search, no files to deal with
- ✓ Locate all IP cameras with a single button click

ALL-IN-ONE CONTROL PANEL

Quick access to all DVR functionality in one, convenient, easy to understand interface. Use it just like a remote.



VIDEO CONTROL PANEL

All controls are accessed from this one control panel which makes the whole system very user friendly.
A coloured light system (red/orange/green) shows the status of the 16 analog and the 16 IP cameras. Seen here at the bottom of the window below.

FILM STRIP

A unique, simple and user-friendly camera selection and display tool. Allows you to preview cameras and make instant decisions on which ones to view.

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

PROFESSIONAL RANGE

CYBORG HYBRID
64X BETTER PICTURE QUALITY

Seamless integration on Cyborg Hybrid between analog and digital

1X BETTER QUALITY IMAGE

QCIF IMAGE

4X BETTER QUALITY IMAGE

CIF IMAGE

D1 IMAGE

16X BETTER QUALITY IMAGE

CYBORG 2MP IP CAMERA

64X BETTER QUALITY IMAGE

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

PROFESSIONAL RANGE

λ | Cortex CYBORG CMS FOR CENTRAL STATION

Seamless integration on Cyborg Hybrid between analog and digital

CYBORG CMS NEW FEATURES:

CYBORG CMS ALLOWS CYBORG AND TERMINATOR USERS TO VIEW ANALOG AND IP CAMERAS FROM MULTIPLE SYSTEMS, UP TO 100 CAMERAS!

NEW TOUR BUTTON

This instantly begins showing cameras in full screen with a user-settable time for which each camera is displayed.

MULTIPLE SESSIONS

This allows a sophisticated monitoring operation to keep multiple customers' setups isolated and easily switch between them.

NEW SHOW ALL BUTTON

Opens a new layout (up to 10x10) and automatically populates it with ALL cameras from all DVRs.



DRAG-N-DROP

Camera display is intuitively done via drag-n-drop or double clicking

AUTOMATICALLY REMEMBERED

All options, layouts, camera arrangements, sizes, etc. - everything is automatically remembered across login/logout/PC restarts/etc

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

PROFESSIONAL RANGE

λ | Cortex CYBORG HYBRID 4U

CYBORG HYBRID SUPPORTS 16CHN D1 + 16CHN IP 2MP

Seamless integration on Cyborg Hybrid between analog and digital

WWW.QVISSECURITY.COM

4U RAID 5 **4U RAID 10** UP TO 32 CHANNELS

CYBORG HYBRID FEATURES

- ✓ 32 total channels of video recording
- ✓ 16 full D1 realtime and 16 2MP IP cameras
- ✓ 1080p HDMI, VGA and DVI
- ✓ DVD writer, Blu-ray optional
- ✓ 4U rack-mountable
- ✓ Up to 40TB of internal storage
- ✓ RAID 0, 1, 5 and 10 optional
- ✓ Gigabit network interface built-in
- ✓ Backup video saved in universal iTunes format; use any player; no file conversion
- ✓ Backup via built-in DVD/Blu-ray, flash drive, USB HDD, USB CD/DVD/Blu-ray and remote network download

RAID 5 OPTIONS:

CYBROG HYBRID RACK RAID 5	ANALOG	RECORD CAPACITY	PHYSICAL HD SIZE	RAID 5 RACK	DIGITAL CHANNEL	ANALOGUE D1
CYBORGH-16-4U-12R5	16CHN D1	9TB	12TB	4U	16IP	16CHN D1
CYBORGH-16-4U-20R5	16CHN D1	16TB	20TB	4U	16IP	16CHN D1
CYBORGH-16-4U-30R5	16CHN D1	24TB	30TB	4U	16IP	16CHN D1

RAID 10 OPTIONS:

CYBROG HYBRID RACK RAID10	ANALOG	RECORD CAPACITY	PHYSICAL HD SIZE	RAID 10 RACK	DIGITAL CHANNEL	ANALOGUE D1
CYBORGH-16-4U-12R10	16CHN D1	6TB	12TB	4U	16IP	16CHN D1
CYBORGH-16-4U-20R10	16CHN D1	10TB	20TB	4U	16IP	16CHN D1
CYBORGH-16-4U-30R10	16CHN D1	15TB	30TB	4U	16IP	16CHN D1

PROFESSIONAL RANGE

RAID EXPLAINED

REDUNDANT ARRAY OF INDEPENDENT DISKS

WHAT IS RAID? (REDUNDANT ARRAY OF INDEPENDENT DISKS)

The main concept of RAID is the ability to take multiple drives and have them virtualised as a single drive. Data is distributed across the drives in one of several ways called "RAID levels" depending on what level of redundancy and performance is required. The main purpose of RAID is to protection against data loss in the event of hard drive failure.

CORTEX RAID 5 EXPLAINED



RAID 5 – Blocks Striped. Distributed Parity.

Cortex Raid 5 stripes both the data as well as the parity information across three or more than three drives put together to make a fault tolerant drive. The benefit of using a RAID 5 array is that you can easily adjust the stripe sizes in order to match the application that is under usage.

This device offers larger capacity, superior performance and reliability.

CORTEX RAID 10 EXPLAINED



RAID 10 – Blocks Mirrored. (and Blocks Striped)

Cortex RAID 10 works by striping and mirroring your data across at least two disks.

Mirroring: writing your data to two or more disks at the same time. Even if one disk fails completely, the mirror preserves the information.

Striping: breaking your data up into chunks and writing the chunks to different disks in succession. It improves performance because the computer can get data off more than one disk simultaneously.

CYBORG HYBRID 4U

4U RAID 5 | 4U RAID 10

UP TO 32 CHANNELS

Page 15 for details

PROFESSIONAL RANGE

λ | Cortex 2MP IP TERMINTOR NVR

Supports 16chns at 2MP, 30fps Realtime, 4x Performance of the ZEUS NVR

UP TO 32 CHANNELS

TERMINATOR NVR FEATURES

- ✓ Up to 16chns at 2 Mega Pixel IP
- ✓ 2U rack-mount w/ DVD writer, optional Blu-ray
- ✓ H.264 codec for low bandwidth
- ✓ 100% integrated with the CORTEX IP cameras
- ✓ 30fps recording rate
- ✓ 1080p HDMI, VGA or DVI
- ✓ Covert camera facility
- ✓ Locate all IP cameras with a single button click
- ✓ Backup video saved in universal iTunes format
- ✓ 100% integrated with the CORTEX IP cameras
- ✓ Compatible with Windows & Apple systems
- ✓ iphone compatible
- ✓ Advanced playback and live viewing, real-time playback and live viewing of up to 16 cameras
- ✓ Linux stability: no viruses, random software updates, etc

Full HD 1080P

WWW.QVISSECURITY.COM

CORTEX TERMINATOR SNIFFER FUNCTION EXPLAINED:

TERMINATOR NVR	CHN	HDD SIZE
TERMINATOR-RACK-16-4TB	16	4TB
TERMINATOR-RACK-32-8TB	32	8TB
TERMINATOR-RACK-16-8TB	16	8TB

PROBABLY THE COOLEST APP IN THE WORLD "QVIS VIEWER"

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

PROFESSIONAL RANGE

λ | Cortex 2MP IP TERMINTOR NVR

Supports 16chns at 2MP, 30fps Realtime, 4x Performance of the ZEUS NVR

Everything needed for next generation High Definition CCTV:
IP Cameras, NVR's, Central Management Systems, HD Video Wall & Network Storage.

CORTEX TERMINATOR NVR IN ACTION

- ✓ Plug & play configuration
- ✓ 360 degree functions
- ✓ Digital magnifier
- ✓ Video adjustments
- ✓ PTZ
- ✓ HD video wall
- ✓ Named viewing presets
- ✓ Maps
- ✓ Team alarm management

CORTEX TERMINATOR NVR FEATURES

- ✓ Easy recording navigation
- ✓ BMP and AVI export
- ✓ Expand to any number of cameras, operator stations, monitors and storage
- ✓ Record to external IP SAN
- ✓ Remote access

CORTEX IP CAMERAS

Compare analog cameras with Cortex cameras



Analog CIF

Analog D1

Cortex 1000 TVL

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

PROFESSIONAL RANGE

λ | Cortex CYBORG & TERMINATOR 'QVIS VIEWER' MOBILE APP

Seamless integration on Cyborg Hybrid between analog and digital

PROBABLY THE COOLEST APP IN THE WORLD "QVIS VIEWER"

NEWYORK BRANCH

Switch between views at the tap of a finger

WHAT IS UNIQUE TO THIS APP?

View archived footage from any time in the past to see what was going on in your business. Use the time slider to go back to a time of your choice.. i.e. what happened at 9am this morning.

MOBILE ZMS

TEXAS BRANCH

Did your staff get to work on-time and if they did what did they do when they got there.

View each branch of your business and save views of each premises.

View staff and customers actions from any location.

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

λ | Cortex CYBORG & TERMINATOR 'QVIS VIEWER' MOBILE APP

Seamless integration on Cyborg Hybrid between analog and digital

PROBABLY THE COOLEST APP IN THE WORLD "QVIS VIEWER"

TO DOWNLOAD THE QVIS VIEWER APP
SCAN THE QR CODE HERE.

ANDRIOD APP

iTUNES IPHONE APP

IPHONE & ANDRIOD APP FEATURES:

Unlike any other apps the Qvis viewer can view a live and pre-recodred videos with any mix of analog & IP cameras.

Intuitive, easy to use app

Very high quality live video

Compatible with iPhone & Andriod phones. Browser for all other phones

Seamless viewing of both analogue and IP cameras

Simple to use login page



View all cameras in a list and choose which ones you would like to view.

Favorites list for instant access to multiple Hybrids and NVRs

"Swipe & tap along the screen" to move between cameras and enjoy the seamless integration with both analog and IP.

High frame rate

Full screen view

Save multiple camera layouts

View up to 4 cameras at a time

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

PROFESSIONAL RANGE

APOLLO LX CMS
TIMELINE EXPLAINED



1 Select the site and camera(s) you wish to view. You can search by name or time. You also set the beginning and end time for your search. Type will select the type of alarm to search for. (see 4) If you choose name then all video within that time frame will be shown in box 2. If you choose time then you must add the camera(s) you wish to view from the drop down box (Showing CAM 4 on diagram). Tick select all for all cameras. Select Synchronise for all cameras to be playing at the same time when you click on the time line. Once you have defined your search parameters then click the search button and video(s) will show in box 2.

2 Once the files have shown in box 2 then you can click on a file to highlight it and then click the play button to view it on the screen window.
If you picked multiple cameras and you clicked Synchronise then all cameras will be playing at the same time if they recorded anything at that time.
Press download to record it to your computer or to a flash drive (this is how you give the police a copy of your video footage).

3 At this point you will see a time line at the base of the video window 3. This has two bars (top and bottom) The top bar shows minutes and the bottom bar shows hours. Areas on the time line in green have recorded video and areas in red have no recorded video. By clicking on the time lime at a given time you can view the recording at that time in the window above.

APOLLO LX CMS TIMELINE EXPLAINED

4

This shows the various types of alarm that you can search for.
All: All records
Alarm records: Video of Alarm event recording
Motion detection: Video of motion detection recording
General records: Video of scheduled recording
Manual Recording: Video of recording
All Picture: All images taken for snapshots
Alarm Snap: Snapshots of Alarm events
Video detect snap: Snapshots of motion detect events
Regular snap: Snapshots taken a regular intervals
Manual Snap: Snapshots taken when the snapshot button is clicked



5

6

5

In the local Playback screen (see 1 Opposite) by clicking on the Record Plan button (5) you can set up a recording schedule to your PC for off site recording. Please note for systems with multiple video cameras a very fast internet download speed is required.
You can set up multiple video camera recording here.

6

The menu in the bottom left hand corner has various options.

A. Click here for the PTZ control to appear if you have a PTZ camera.
B. Click here for the screen colour and contrast controls.
C. Click here to add locations and cameras.
D. Click here set up recording of the screen.
E. Click here for advanced features such as eMaps and PTZ tours
F. Click here to log out.

A PSS Firmware upgrade will be available soon to allow iApollo, Apollo LX and Discovery DVR's to intergrate on one CMS

ZEUS LITE LX

QVIS

APOLLO LX

PROFESSIONAL RANGE

2 YEAR WARRANTY

NEW DVR

4/8/16 CHANNEL STANDALONE DVR

4 CHANNEL FULL D1 REALTIME RECORDING

D1 RECORDING 4CHN ONLY

REMOTE ACCESS

Z.M.S

PRIVACY MASKING

H.264

AUDIO

1 SATA HDD

MOTION DETECT

USB2.0

MOUSE

LINUX

VGA & BNC

WHY BUY THE ZEUS LITE LX DVR

- 4 CHANNEL: D1 Recording 7fps Per Chn
- 4/8/16 channel video inputs
- 8/16 CHANNEL: Realtime CIF recording across all channels
- 1 Channel Audio Inputs

ZEUS LITE LX KEY FEATURES

- 4/8/16 channel simultaneous playback
- Up to 4/8/16 cameras with SXGA(1280×1024) display
- Smart video detection: MD, camera blank, video loss
- Multi-languages & Plug and play external network access
- Mobile control and motoring features via Smart phones
- H.264 dual-stream video compression & VGA / TV synchronous video output
- Pentaplex function giving live recording, playback,backup & remote access
- Supports IE and client, remote parameter setting, download video data
- Support 1 SATA HDD

4 CHANNELS	HD SIZE	D1	FPS	REAL TIME D1
LXZEUSL-4-500	500GB	100	30	
LXZEUSL-4-1TB	1TB	100	30	
LXZEUSL-4-2TB	2TB	100	30	

8 CHANNELS	HD SIZE	CIF	FPS	D1	FPS
LXZEUSL-8-500	500GB	200	30	50	7
LXZEUSL-8-1TB	1TB	200	30	50	7
LXZEUSL-8-2TB	2TB	200	30	50	7
16 CHANNELS					
LXZEUSL-16-500	500GB	400	30	100	7
LXZEUSL-16-1TB	1TB	400	30	100	7
LXZEUSL-16-2TB	2TB	400	30	100	7

Compatible with iphone, Android Smart Mobiles

WATCH APOLLO LX

DEMO ON YOUTUBE

APOLLO LX

NEW!

DOWNLOAD ANDRIOD

APP

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

ZEUS HD LX

QVIS

APOLLO LX

PROFESSIONAL RANGE

2 YEAR WARRANTY

NEW DVR

4/16 CHANNEL STANDALONE DVR HDMI

D1 RECORDING

REMOTE ACCESS

Z.M.S

PRIVACY MASKING

H.264

AUDIO

1 SATA HDD

MOTION DETECT

USB2.0

MOUSE

LINUX

HDMI VGA & BNC

WHY BUY THE ZEUS HD LX DVR

4 CHANNEL: 4 channel realtime recording
- 4 Channel Video Inputs • 4 Channel Audio Inputs • 4 Alarm Inputs

16 CHANNEL: Realtime CIF recording across all channels
- 16 Channel Video Inputs • 4 Channel Audio Inputs

ZEUS HD LX KEY FEATURES

- H.264 video compression
- Up to 4/16 cameras with full realtime display
- Pentaplex function giving live recording, playback,backup & remote access
- Supports Dual stream giving mobile monitoring and network transmission
- Smart video detection: motion detection, camera blank, video loss
- Smart camera settings: privacy masking, camera lock, colour setting & title display
- Supports 2/1 SATA HDD, 2 USB2.0
- Live, recording, playback & backup
- Easy backup - USB devices, network download & client software
- PTZ Control
- Alarm triggering screen tips, buzzer, email, snapshot, ftp upload

4 CHANNELS	HDD	D1	FPS	REAL TIME D1
LXZEUSHD-4-500	500	100	30	
LXZEUSHD-4-1TB	1TB	100	30	
LXZEUSHD-4-2TB	2TB	100	30	

Compatible with iphone, Android Smart Mobiles

16 CHANNELS	HDD	CIF	FPS	D1	FPS
LXZEUSHD-16-500	500	400	30	100	7
LXZEUSHD-16-1TB	1TB	400	30	100	7
LXZEUSHD-16-2TB	2TB	400	30	100	7

WATCH APOLLO LX

DEMO ON YOUTUBE

APOLLO LX NEW!

DOWNLOAD ANDRIOD

APP

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

APOLLO 32 LX

QVIS

PROFESSIONAL RANGE

2 YEAR WARRANTY

NEW DVR

32 CHANNEL STANDALONE DVR

HDMI

REALTIME CIF RECORDING

REMOTE ACCESS

Z.M.S

PRIVACY MASKING

H.264

AUDIO

1 SATA HDD

MOTION DETECT

USB2.0

MOUSE

LINUX

HDMI VGA & BNC

WHY BUY THE APOLLO 32 LX DVR

- 32 channel video inputs & 16 Simultaneous playback
- 32 D1 Recording 7fps Per Chn & Realtime CIF 30fps Per Chn
- 16 Channel Audio Inputs
- VGA & BNC video outputs, USB2.0

APOLLO 32 LX KEY FEATURES

- 32 Channel simultaneous realtime playback
- Realtime CIF - 30fps per channel
- D1 Recording 7fps Per Chn
- H.264 dual-stream video compression
- Supports 2 SATA HDD, 2 USB2.0
- Live, recording, playback & backup
- Remote access through smart mobile phones
- VGA/ TV(BNC) video
- Built in webs server, multi-dvr client,
- Easy backup - USB devices, network download, flash drive
- Smart video detection: motion detection, camera blank, video loss
- PTZ Control
- Alarm triggering screen tips, buzzer, email, snapshot, ftp upload

32 CHANNELS	HDD	CIF	FPS
LXAPO-32-1TB	1TB	800	30
LXAPO-32-2TB	2TB	800	30
LXAPO-32-4TB	4TB	800	30

Compatible with iphone, Android Smart Mobiles

WATCH APOLLO LX

DEMO ON YOUTUBE

APOLLO LX NEW!

DOWNLOAD ANDRIOD

APP

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

APOLLO HDRT LX

QVIS

PROFESSIONAL RANGE

2 YEAR WARRANTY

NEW DVR

8/16 CHANNEL STANDALONE DVR

HDMI

FULL D1 (4CIF) REALTIME RECORDING

REMOTE ACCESS

C.M.S

PRIVACY MASKING

H.264

AUDIO

SATA 2 HDDs

MOTION DETECT

USB2.0

ALARM TRIGGER

LINUX

PTZ CONTROL

WHY BUY THE APOLLO HD LX D1 RT DVR

- 8 & 16 CHANNEL Ful D1 realtime Recording & 8/8 Simultaneous playback
- 8/16 Channel Video Inputs
- VGA, BNC & HDMI video Outputs

KEY FEATURES APOLLO HD LX D1 RT

- H.264 dual-stream video compression
- Up to 8/16 cameras with realtime display
- Pentaplex function giving live recording, playback,backup & remote access
- Supports Dual stream giving mobile monitoring and network transmission
- Smart video detection: motion detection, camera blank, video loss
- Smart camera settings: privacy masking, camera lock, colour setting & title display
- HDMI/VGA/ TV/SPOT (BNC) video output
- Live, recording, playback & backup
- Pan Tilt Zoom and speed dome control supporting over 60 protocols
- Easy backup - USB devices, network download & client software
- Supports 2 SATA HDD, 2 USB.20
- Alarm triggering screen tips, buzzer, PTZ, e-mail & FTP upload

8 CHANNELS	HDD	D1	FPS	
LXAPOHDRT-8-500	500	200	30	REAL TIME D1
LXAPOHDRT-8-1TB	1TB	200	30	
LXAPOHDRT-8-2TB	2TB	200	30	
LXAPOHDRT-8-4TB	2TB	200	30	

16 CHANNELS	HDD	D1	FPS	
LXAPOHDRT-16-500	500	400	30	REAL TIME D1
LXAPOHDRT-16-1TB	1TB	400	30	
LXAPOHDRT-16-2TB	2TB	400	30	
LXAPOHDRT-16-4TB	4TB	400	30	

WATCH APOLLO LX

DEMO ON YOUTUBE

APOLLO LX NEW!

DOWNLOAD ANDRIOD

APP

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

APOLLO PRO LITE LX

QVIS

PROFESSIONAL RANGE

2 YEAR WARRANTY

NEW DVR

8/16 CHANNEL STANDALONE DVR

HDMI DVD

D1 REALTIME RECORDING

REMOTE ACCESS

C.M.S

PRIVACY MASKING

H.264

AUDIO

SATA 4HDDs

MOTION DETECT

USB2.0

ALARM TRIGGER

LINUX

PTZ CONTROL

WHY BUY THE APOLLO PRO LITE LX DVR

- 8/16 channel video inputs • D1 Recording 25fps Per Chn • 6 Alarm Inputs
- Supports smart mobile and network browser real time remote monitoring such as iPhone, Blackberry, Android, Nokia and Windows mobile

APOLLO PRO LITE LX KEY FEATURES

- H.264 dual-stream video compression
- Up to 8/16 cameras with realtime display
- Pentaplex function giving live recording, playback,backup & remote access
- Supports Dual stream giving mobile monitoring and network transmission
- Smart video detection: motion detection, camera blank, video loss
- Smart camera settings: privacy masking, camera lock, colour setting & title display
- Supports 2 SATA HDD, 2 USB2.0
- Live, recording, playback & backup
- Pan Tilt Zoom and speed dome control supporting over 60 protocols
- Easy backup - USB devices, network download & client software, DVD
- Alarm triggering screen tips, buzzer, PTZ, e-mail & FTP upload

8 CHANNELS	HDD	D1	FPS	
LXAPOPROLITE-8-1TB	1TB	200	30	REAL TIME D1
LXAPOPROLITE-8-2TB	2TB	200	30	
LXAPOPROLITE-8-4TB	4TB	200	30	
LXAPOPROLITE-8-6TB	6TB	200	30	

16 CHANNELS	HDD	D1	FPS	
LXAPOPROLITE-16-1TB	1TB	400	30	REAL TIME D1
LXAPOPROLITE-16-2TB	2TB	400	30	
LXAPOPROLITE-16-4TB	4TB	400	30	
LXAPOPROLITE-16-6TB	6TB	400	30	

WATCH APOLLO LX

APOLLO LX NEW!

DEMO ON YOUTUBE

DOWNLOAD ANDRIOD

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

APOLLO PRO LX

QVIS

PROFESSIONAL RANGE

NEW DVR

2 YEAR WARRANTY

DVD

HDMI

8/16 CHANNEL FULL D1 (4CIF) REALTIME RECORDINGS

D1 REALTIME RECORDING

REMOTE ACCESS

C.M.S

PRIVACY MASKING

H.264

AUDIO

SATA 8HDDs

MOTION DETECT

USB2.0

ALARM TRIGGER

LINUX

PTZ CONTROL

WHY BUY THE APOLLO PRO DUAL LX, D1 DVR

- 8/16 Channel Full D1 Realtime Recording
- 8/16 Channel Video Inputs • 8/16 Channel Audio Inputs
- DVD-RW Writer • 8/16 Channel Loop Outputs
- VGA & BNC HDMI video outputs • 2U Case

KEY FEATURES APOLLO PRO DUAL LX, D1

- H.264 dual-stream video compression
- Up to 8/16 cameras with realtime display + record
- Pentaplex function giving live recording, playback, backup & remote access
- Supports combined encoding streams which evolve from dual streams to give strong and flexible network transmission
- Smart video detection: motion detection, camera blank, video loss
- Smart camera settings: privacy masking, camera lock, colour setting & title display
- 4 SATA HDD + DVD WRITER (8 SATA HDD WITHOUT DVD WRITER), 2 USB2.0
- Live, recording, playback & backup
- Pan Tilt Zoom and speed dome control supporting over 60 protocols
- Easy backup - USB devices, network download & client software
- Alarm triggering screen tips, buzzer, PTZ, e-mail & FTP upload

8 CHANNELS	HDD	D1	FPS	
LXAPOPRODC-8-1TB	1TB	200	30	REAL TIME D1
LXAPOPRODC-8-2TB	2TB	200	30	
LXAPOPRODC-8-4TB	4TB	200	30	
LXAPOPRODC-8-8TB	8TB	200	30	
LXAPOPRODC-8-12TB	12TB	200	30	

16 CHANNELS	HDD	D1	FPS	
LXAPOPRODC-16-1TB	1TB	400	30	REAL TIME D1
LXAPOPRODC-16-2TB	2TB	400	30	
LXAPOPRODC-16-4TB	4TB	400	30	
LXAPOPRODC-16-8TB	8TB	400	30	
LXAPOPRODC-16-12TB	12TB	400	30	

WATCH APOLLO LX

APOLLO LX NEW!

DEMO ON YOUTUBE

DOWNLOAD ANDRIOD

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

PROFESSIONAL RANGE

NEW EFFIO - E 650TVL

EXVIEW ENHANCED IR PERFORMANCE RANGE

SONY EFFIO-E

2.8 - 12mm LENS

UP TO 30M IR RANGE

36 IR LEDS

HLC HIGH LIGHT COMPENSATION

ANTI GHOST 2DNR

OSD MENU

AUTO WHITE BALANCE

0.00 LUX

ADAPTIVE TONE REPRODUCTION ATR

INTELLIGENT IR

White

Grey

ATR

SMART IR

IR Range 25-30M

EFFIO-E 650 TVL

SPECIFICATION:

- CCD: 1/3" SONY 673, 960H
- DSP: EFFIO-E FEO²
- Res: 650TVL
- Lens: 2.8-12mm Varifocal
- Illum: 0 Lux (IR LED On)
- IR LED: 36pcs
- IR Range: 25-30m
- Voltage: 12V DC

FEATURES:

- Internal/External
- Auto White Balance
- Colour/Mono
- Armored Housing
- 3-Axis Gimble
- Dual ring design (No IR reflection)
- Screw base, simple install
- Day and night
- IP66

EFFIO E FEATURES:

- Anti-Ghost 2DNR
- Adaptive Tone Reproduction
- Back Light Compensation
- Auto Grain Control
- Controlled by OSD Menu
- Motion Detection
- Privacy Masking
- High Light Compensation
- Intelligent IR



IR LED exposure optimization function: OFF



IR LED exposure optimization function: ON

(ATR) ADAPTIVE TONE RECOGNITION NO WHITE OUT

CODE:	LENS	DSP	CCD	IR LED	COLOR
EYE-E37-V2G-N	2.8-12mm VARI	ENHANCED EFFIO-E	1/3" EX VIEW, 673, 960H	36pcs	GREY
EYE-E37-V2B-N	2.8-12mm VARI			36pcs	BLACK
EYE-E37-V2W-N	2.8-12mm VARI			36pcs	WHITE

RING

Deep base for cable termination

CODE:	COLOR
RING-2701GR	GREY
RING-2701BL	BLACK
RING-2701WH	WHITE

2 YEAR WARRANTY

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

PROFESSIONAL RANGE

NEW EFFIO - E 650TVL

EXVIEW ENHANCED IR PERFORMANCE RANGE

SONY EFFIO-E

2.8 - 12mm LENS

UP TO 30M IR RANGE

36 IRLEDS

HLC HIGH LIGHT COMPENSATION

ANTI GHOST 2DNR

OSD MENU

AUTO WHITE BALANCE

0.00 LUX

ADAPTIVE TONE REPRODUCTION ATR

INTELLIGENT IR

ATR

SMART IR

IR Range 25-30M

2 YEAR WARRANTY

EFFIO-E 650 TVL

SPECIFICATION:

- CCD: 1/3" EXview 673, 960H
- DSP: EFFIO-E ENHANCED
- Res: 650TVL
- Lens: 2.8-12mm Varifocal
- Illum: 0 Lux (IR LED On)
- IR LED: 48pcs
- IR Range: Up to 50m
- Voltage: 12V DC

FEATURES:

- Internal/External
- Auto White Balance
- Colour/Mono
- Armored Housing
- 3-Axis Gimble
- Cable Managed Bracket
- External Zoom & Focus
- Day and night
- IP66

EFFIO E FEATURES:

- Anti-Ghost 2DNR
- Back Light Compensation
- Controlled by OSD Menu
- Privacy Masking
- Intelligent IR
- Adaptive Tone Reproduction
- Auto Grain Control
- Motion Detection
- High Light Compensation

IR LED exposure optimization function: OFF



IR LED exposure optimization function: ON

(ATR) ADAPTIVE TONE RECOGNITION NO WHITE OUT

Anti Ghost 2NDR: OFF

Anti Ghost 2NDR: ON

ANTI GHOST 2NDR

CODE:	LENS	RES	IR LEDS	DSP	CCD, SMART IR
P400-E37-V2G40-N	2.8-12mm MP	650TVL	48pcs	ENHANCED EFFIO-E	1/3" EXview 673, 960H

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

PROFESSIONAL RANGE

100M P495 CAMERAS

Professional day/night, Up to 100m IR range, 600TVL, Dual Power

SONY 639BK

100 IR LEDS

SUPER DYNAMIC RANGE SSDR

BACK LIGHT COMPENSATION BLC

OSD MENU

UP TO 100M IR RANGE

HLC HIGH LIGHT COMPENSATION

DIGITAL NOISE REDUCTION DNC

DAY NIGHT

DUAL POWER 12/24V

INTELLIGENT IR

ULTRA LOW LUX

CONFIGURATION

1. Junction Box for video termination
2. Adjust the position of sunvisor
3. Control panel (Lens focus, dip switches, OSD)
4. Tilting joint
5. Panning joint
6. 24V AC power input (2.5A recommended)
7. 12V DC power input (2.5A recommended)
8. 2nd Video out
9. RS-485 White (+), Orange (-) (option)
10. MD Green (out), Gray (com) (option)

SPECIFICATION:

- CCD: 1/3 " Sony ICX639BK
- DSP: Winner 5
- Lens: 3.5-16mm, 6-50mm 10-100mm IR Filter Change DC Auto Iris Lens
- Illumination: 0.00003Lux (F1.4 / 50 IRE/LED Off
- IR: 100pcs
- Res: 600/700TVL
- IR Range: Up to 100m
- Voltage: 12V DC / 24v AC

WINNER 5 600 TVL

2 YEAR WARRANTY

FEATURES:

- 100pcs of LEDs, 100m range at night
- 600 TV line, B/W : 700 TV line
- 0.00003 lux (50 IRE
- SSDR : Super Dynamic Range (=WDR) by sens-up x 512) F#1.4
- DNR function (Digital Noise Reduction)
- Color to B/W exchanging lux selection
- Full OSD control
- SUPER DNR (DIGITAL NOISE REDUCTION)
- ICR type day & night
- Intelligent area selecting BLC
- ICR type day & night is suitable for 24 hours surveillance
- HLC (HIGH LIGHT COMPENSATION) for car license plate recognition at night

CODE:	LENS
P400-1210VFHGR-N	3.5-16mm Auto Iris Lens
P400-1211VFHGR-N	6-50mm Auto Iris Lens
P400-1212VFHGR-N	10-100mm Auto Iris Lens

IR Range UP TO 100M

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

VANDAL DOMES

Effio-e, 1/3" Hi-resolution colour Sony CCD, simple internal termination

PROFESSIONAL RANGE

SONY EFFIO-E

0.15 LUX

DIGITAL DAY & NIGHT

VANDAL PROOF

2ND VIDEO OUT

ANTI GHOST 2DNR

OSD MENU

HLC HIGH LIGHT COMPENSATION

ADAPTIVE TONE REPRODUCTION ATR

BUILT IN BALUN

INTERNAL COAX TERMINATION

DUAL POWER 12/24V

IR LEDS 30PCS

DUAL POWER 12/24V


3-Axis Gimble
Detachable BNC for 2nd Video out for test monitor
20mm conduit point
OSD Joystick
Composite video & power terminal connection
Built in balun (terminal Connector)

SPECIFICATON:

- CCD: 1/3" Sony 760H Exview CCD
- DSP: EFFIO - E
- Lens: 2.8-11mm Korea Auto iris lens -DAIWON
- Lux: 0.15
- Res: 650TVL
- IR LEDS: 30pcs
- Voltage: DC12V/24V

EFFIO-E 650 TVL

2 YEAR WARRANTY

IR Range UP TO 30M

EFFIO FEATURES:

- Mechanical focus adjustment
- Multi-language OSD control
- ATR digital powerful 128X WDR (52dB)
- Anti-headlight (HLC)
- 2DNR Anti Ghost
- High contrast images
- Ideal for backlight environments
- Mosaic privacy mask
- Second video

CODE:
BK-2000W

NEW Vandal Bracket

ATR ON

ATR OFF

THE ATR, (ADAPTIVE TONE REPRODUCTION)

ATR function provides gradation compensation to improve the contrast of subjects whose gradation has been lost in cases where, for instance, both low-luminance areas and high-luminance areas exist in the same picture.

The ATR function improves the visibility of the entire picture by providing the optimum gradation compensation for the image in one field based on the luminance information.

WDR ON

WDR OFF

WDR, THE WIDE DYNAMIC RANGE

WDR is a function that it can acquire natural images with fewer blown out highlights and blocked up shadows by combining a multiple number of images, shot at different exposure times, using digital signal processing

CODE:	RES	LENS	DSP	IR LEDS
VAN-2008VFHWH-N	650TVL	2.8-11mm lens	EFFIO-E	30pcs

PROFESSIONAL RANGE

INTERNAL DOMES

600TVL, Nextchip2040 2.8-11mm Varifocal Lens

2.8 - 12mm LENS
0.00 LUX
PLASTIC HOUSING
OSD MENU
3-AXIS GIMBLE
DIGITAL WIDE DYNAMIC RANGE DWDR

NXT 2040 600 TVL

2 YEAR WARRANTY

SPECIFICATON:

- CCD: 1/3 SONY 639 1/3" INTERLINE
- DSP: NEXTCHIP 2040
- Lens: 2.8-12mm Varifocal
- Min Ill: 0 Lux
- Res: 600TVL
- Voltage: 12V DC

FEATURES:

- Anti-Ghost 2DNR
- Digital Wide Dynamic Range
- High Light Compensation
- Lens Shading Correction
- Day and Night Selection
- Privacy Masking
- Parking line guide display
- Controlled by OSD Menu

CODE:	LENS	RES	DSP	COLOR
INT-SN34-V2W-N	2.8-12MM	600TVL	NEXT2040	WHITE
INT-SN34-V2B-N	2.8-12MM	600TVL	NEXT2040	BLACK
INT-N35-V2B-N	2.8-12MM	600TVL	NEXT2040	BLACK

36 IR LEDS
UP TO 30M IR RANGE
PRIVACY MASKING
MOTION DETECTION
IR SMART
DIGITAL WIDE DYNAMIC RANGE DWDR

AVAILABLE MID AUGUST

NXT 2040 600 TVL

2 YEAR WARRANTY

NEW 24pcs IR LEDS, 25-30M IR RANGE

SPECIFICATON:

- CCD: 1/3 SONY 639
- DSP: NEXTCHIP 2040
- Lens: 2.8-12mm Varifocal
- IR Leds: 24pcs
- IR Range: 25-30m
- Min Ill: 0.05 Lux
- Res: 600TVL
- Voltage: 12V DC

FEATURES:

- Anti-Ghost 2DNR
- Digital Wide Dynamic Range
- High Light Compensation
- Lens Shading Correction
- Day and Night Selection
- Privacy Masking
- Motion Detection
- Parking line guide display
- Controlled by OSD Menu
- Ir Smart

CODE:	LENS	RES	DSP	COLOR	
INT-SN34-V2IRW-N	2.8-12MM	600TVL	NEXT2040	WHITE	WITH IR
INT-SN34-V2IRB-N	2.8-12MM	600TVL	NEXT2040	BLACK	WITH IR

PROFESSIONAL MINI PTZ 12X

Mini ptz 12x, small and powerful PTZ, day/ night operation

3.6-44.3mm LENS
0.2 LUX
IP66 WATER-PROOF
12x Zoom
360° CONTINUOUS
128 PRESETS
OSD MENU
PRIVACY MASKING
DAY NIGHT
12V DC

2 YEAR WARRANTY

SAMSUNG 560 TVL

SPECIFICATION:

- CCD: 1/4" SONY ExView-HAD
- DSP: Samsung SDM-100
- Lens: 3.6-44.3mm - SAMSUNG
- Illumination: 0.2 Lux
- Rotation: Continuosly 360° , Tilt 0-90° with auto flip.
- Autoflip: Tilt 90°, with auto-flip 180°
- Res: 560TVL
- Zoom: 12x optical, 12x digital
- Voltage: DC9V-15V

FEATURES:

- 360 ° continuous spin
- Day and night operation
- Tilt 0 ° - 90 ° Auto-Flip
- OSD menu, joystick operated
- Privacy masking
- 128 presets
- Multi protocol including 'Pelco D&P'
- Built in OSD menu
- IP66 all day defend cover
- Light, surge & wave proof

CODE:	MODULE INSIDE
MINI-PTZ-12X-N	G3 12x Samsung External

Corner

Pole

Bracket Options FITS:

DOME-G3LITEKIT1-SF
DOME-G3S27
MINI-PTZ-EXT

CODE:
G3-POLE
G3-CORNER
G3-CELINING

3-Axis Multi Protocol Keyboard

G3MINIKEYBOARD

G3-LITEKEYBOARD

CODE:
G3MINIKEYBOARD-N

PROFESSIONAL PTZ
36X
Dome G3 Professional, 36x, Low lux, Hot Swapable Module

36x Zoom

DAY NIGHT

HOT SWAPABLE MODULE

ALARM 7IN/2OUT

360° CONTINUOUS

128 PRESETS

OSD JOYSTICK FOCUS ADJUSTMENT

PRIVACY MASKING

24V AC

FULLY FUNCTIONAL SPEED DOME
36X OPTICAL ZOOM

EXTERNAL
COMPLETE WITH PSU & WALL BRACKET

SAMSUNG 550 TVL

2 YEAR WARRANTY

36x OPTICAL ZOOM

SPECIFICATIONS :

- **CCD:** 1/4" Sony EXview HAD
- **DSP:** SONY FCB-EX1010P
- **Lens:** 3.4-122.4mm - SONY
- **Illumination:** 0.1Lux
- **Res:** 550TVL
- **Zoom:** 36x optical, 12x digital
- **Voltage:** 24V AC
- **Consumption:** 2Amp

FEATURES:

- WDR - Wide dynamic range
- Day and night operation
- 380 °/ sec speed
- 360 ° continuous spin
- Hot swapable module
- OSD menu, joystick operated
- Privacy masking
- 128 presets
- Auto resume to patrol tour
- Alarm 7in/2out
- Multi protocol including 'Pelco P'
- IR cut filter

The Sony 36x Dynamic Wide Module

Normal PTZ

CODE:	DESCRIPTION:	WDR
PTZG3-PRO-N	36x Optical Zoom External	WDR

BRACKET & MULTI PROTOCOL KEYBOARD OPTIONS P31

DISCOVERY CMS

TIME LINE EXPLAINED



1 Select the site and camera(s) you wish to view. You can search by name or time. You also set the beginning and end time for your search. Type will select the type of alarm to search for. (see 4) If you choose name then all video within that time frame will be shown in box 2. If you choose time then you must add the camera(s) you wish to view from the drop down box (Showing CAM 4 on diagram). Tick select all for all cameras. Select Synchronise for all cameras to be playing at the same time when you click on the time line. Once you have defined your search parameters then click the search button and video(s) will show in box 2.

2 Once the files have shown in box 2 then you can click on a file to highlight it and then click the play button to view it on the screen window.
If you picked multiple cameras and you clicked Synchronise then all cameras will be playing at the same time if they recorded anything at that time.
Press download to record it to your computer or to a flash drive (this is how you give the police a copy of your video footage).

3 At this point you will see a time line at the base of the video window 3. This has two bars (top and bottom) The top bar shows minutes and the bottom bar shows hours. Areas on the time line in green have recorded video and areas in red have no recorded video. By clicking on the time lime at a given time you can view the recording at that time in the window above.

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

DISCOVERY CMS

TIME LINE EXPLAINED

4

This shows the various types of alarm that you can search for.
All: All records
Alarm records: Video of Alarm event recording
Motion detection: Video of motion detection recording
General records: Video of scheduled recording
Manual Recording: Video of recording
All Picture: All images taken for snapshots
Alarm Snap: Snapshots of Alarm events
Video detect snap: Snapshots of motion detect events
Regular snap: Snapshots taken a regular intervals
Manual Snap: Snapshots taken when the snapshot button is clicked



5

6

5 In the local Playback screen (see 1 Opposite) by clicking on the Record Plan button (5) you can set up a recording schedule to your PC for off site recording. Please note for systems with multiple video cameras a very fast internet download speed is required. You can set up multiple video camera recording here.

6

The menu in the bottom left hand corner has various options.

A. Click here for the PTZ control to appear if you have a PTZ camera.
B. Click here for the screen colour and contrast controls.
C. Click here to add locations and cameras.
D. Click here set up recording of the screen.
E. Click here for advanced features such as eMaps and PTZ tours
F. Click here to log out.

A PSS Firmware upgrade will be available soon to allow iApollo, Apollo LX and Discovery DVR's to intergrate on one CMS

AVALON DVR

DISCOVERY APP

CONSUMER RANGE

FULL D1 REALTIME RECORDING 4 CHANNEL

D1 (4CIF) REALTIME RECORDING 8/16 CHANNEL

VGA & BNC

DUAL STREAM

MOTION DETECTION

PENTAPLEX

PRIVACY MASKING

H.264 COMPRESSION

REMOTE ACCESS

USB2.0

PLUG & PLAY

4 CHANNEL FULL D1 REALTIME RECORDING

WHY BUY THE AVALON DVR

- 4/8/16 CHANNEL VIDEO INPUTS
- 4 CHNS FULL D1 REATIME RECORDING (4 CH ONLY)
- 8/16 CHNS REAL TIME CIF RECORDINGS

AVALON KEY FEATURES

- H.264 dual-stream video compression
- Up to 8/16 cameras with real time display
- Pentaplex function giving live recording, playback,backup & remote access
- Supports Dual stream giving mobile monitoring and network transmission
- Smart video detection: motion detection, camera blank, video loss
- Smart camera settings: privacy masking, camera lock, colour setting & title display
- Supports 1 SATA HDD, 2 USB2.0
- Live, recording, playback & backup
- Easy backup - USB devices, network download & client software
- Alarm triggering screen tips, buzzer, e-mail & FTP upload

4 CHANNELS	HD SIZE	D1	FPS	
AVALON-4BB	-	100	30	FULL D1
AVALON-4-500	500GB	100	30	
AVALON-4-1TB	1TB	100	30	
AVALON-4-2TB	2TB	100	30	

8 CHANNELS	HD SIZE	CIF	FPS	D1	FPS	
AVALON-8BB	-	200	30	50	7	
AVALON-8-500	500GB	200	30	50	7	
AVALON-8-1TB	1TB	200	30	50	7	
AVALON-8-2TB	2TB	200	30	50	7	
16 CHANNELS						RT CIF
AVALON-16BB	-	400	30	100	7	
AVALON-16-500	500GB	400	30	100	7	
AVALON-16-1TB	1TB	400	30	100	7	
AVALON-16-2TB	2TB	400	30	100	7	

DOWNLOAD ANDRIOD APP

THE DISCOVERY DVR'S ONLY WORK WITH THE DISCOVERY APP

DISCOVERY APP

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

ATLANTIS HD DVR

DISCOVERY APP

CONSUMER RANGE

NEW DVR

FULL D1 REALTIME RECORDING 4 CHANNEL

D1 (4CIF) REALTIME RECORDING 16 CHANNEL

HDMI VGA & BNC

DUAL STREAM

MOTION DETECTION

PENTAPLEX

PRIVACY MASKING

H.264 COMPRESSION

REMOTE ACCESS

USB2.0

PLUG & PLAY

HDMI 4/16 channel

WHY BUY THE ATLANTIS DVR

4 CHANNEL REAL TIME RECORDING - • 4 ALARM INPUTS
• 4 Channel Video Inputs • 4 Channel Audio Inputs

16 CHANNEL REAL TIME CIF RECORDING ACROSS ALL CHANNELS
• 16 CHANNEL VIDEO INPUTS • 4 CHANNEL AUDIO INPUTS

ATLANTIS KEY FEATURES - 4/16 CHN

- VGA, BNC & HDMI video Outputs
- H.264 dual-stream video compression
- Up to 4/16 cameras with realtime display
- Smart video detection: motion detection, camera blank, video loss
- Smart camera settings: privacy masking, camera lock, colour setting & title display
- Pentaplex function giving live recording, playback,backup & remote access
- Supports Dual stream giving mobile monitoring and network transmission
- Supports 2/1 SATA HDD, 2 USB2.0
- Easy backup - USB devices, network download & client software
- Alarm triggering screen tips, buzzer, e-mail & FTP upload

DISCOVERY APP
Compatible with iphone
Android Smart Mobiles

THE DISCOVERY DVR'S ONLY WORK WITH THE DISCOVERY APP

DISCOVERY APP

4 CHANNELS	HD SIZE	D1	FPS	
ATLANTIS-4-500	500GB	100	30	FULL D1
ATLANTIS-4-1TB	1TB	100	30	
ATLANTIS-4-2TB	2TB	100	30	

16 CHANNELS	HD SIZE	CIF	FPS	D1	FPS	
ATLANTIS-16-500	500GB	400	30	100	7	RT CIF
ATLANTIS-16-1TB	1TB	400	30	100	7	
ATLANTIS-16-2TB	2TB	400	30	100	7	

YOUTUBE SCAN

Cut down on install trainging time and show your customers our Discovery app demos

PLUG INTO YOUR TV

DISCOVERY APP

CONSUMER RANGE

NO NEED TO BUY A MONITOR JUST PLUG STRAIGHT IN THE BACK OF YOUR HDMI TV

PICTURE IN PICTURE
SEE WHO IS AT FRONT DOOR FROM YOUR SOFA

ATLANTIS 4/16CH

SHANGRI-LA 4/8/16 CHN

EDEN 4/8/16 CHN

EL-DORADO 4/8/16 CHN

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

SHANGRI-LA DVR

DISCOVERY APP

CONSUMER RANGE

FULL D1 REALTIME RECORDING 8/16 CHANNELS

8 16 CHANNELS PLAYBACK SIMULTANEOUSLY 8/16 CHANNELS

HDMI VGA & BNC

DUAL STREAM

MOTION DETECTION

PENTAPLEX

PRIVACY MASKING

H.264 COMPRESSION

REMOTE ACCESS

USB2.0

PLUG & PLAY

HDMI

8/16 CHANNEL FULL D1 REALTIME RECORDING

WHY BUY THE SHANGRI-LA DVR

- 8/16 CHANNEL VIDEO INPUTS & 8/16 SIMULTANEOUS PLAYBACK
- 8/16 CHNS FULL D1 REATIME RECORDING
- VGA, BNC & HDMI VIDEO OUTPUTS • 4 ALARM INPUTS

SHANGRI-LA KEY FEATURES

- H.264 dual-stream video compression
- Up to 8/16 cameras with real time display
- Pentaplex function giving live recording, playback,backup & remote access
- Supports Dual stream giving mobile monitoring and network transmission
- Smart video detection: motion detection, camera blank, video loss
- Supports 2 SATA HDD, 2 USB2.0
- Live, recording, playback & backup
- Easy backup - USB devices, network download & client software
- Alarm triggering screen tips, buzzer, e-mail & FTP upload
- VGA, BNC & HDMI video Outputs
- Smart camera settings: privacy masking, camera lock, colour setting & title display

THE DISCOVERY DVR'S ONLY WORK WITH THE DISCOVERY APP

DISCOVERY APP

DISCOVERY APP
Compatible with iphone
Android Smart Mobiles

8 CHANNELS	HD SIZE	D1	FPS	
SHANGRI-LA-8-500	500GB	200	30	FULL D1
SHANGRI-LA-8-1TB	1TB	200	30	
SHANGRI-LA-8-2TB	2TB	200	30	
SHANGRI-LA-8-4TB	4TB	200	30	
16 CHANNELS				
SHANGRI-LA-16-500	500GB	400	30	
SHANGRI-LA-16-1TB	1TB	400	30	FULL D1
SHANGRI-LA-16-2TB	2TB	400	30	
SHANGRI-LA-16-4TB	4TB	400	30	

DOWNLOAD ANDRIOD APP

EDEN DVR

DISCOVERY APP

CONSUMER RANGE

NEW DVR

FULL D1 REALTIME RECORDING 8/16 CHANNELS

HDMI

DVD

8/16 CHANNEL FULL D1 REALTIME RECORDING

8/16 CHANNELS

8/16 CHANNELS

HDMI, VGA & BNC

DUAL STREAM

MOTION DETECTION

PENTAPLEX

PRIVACY MASKING

H.264 COMPRESSION

REMOTE ACCESS

USB2.0

PLUG & PLAY

WHY BUY THE EDEN DVR, 1.5U CASE

- 8/16 CHANNEL VIDEO INPUTS & 8/8 SIMULTANEOUS PLAYBACK
- 8/16 CHNS FULL D1 REATIME RECORDING
- VGA, BNC & HDMI video Outputs • 4 ALARM INPUTS

EDEN KEY FEATURES

- H.264 dual-stream video compression
- Up to 8/16 cameras with real time display
- Pentaplex function giving live recording, playback,backup & remote access
- Supports Dual stream giving mobile monitoring and network transmission
- Smart video detection: motion detection, camera blank, video loss
- Multiple control methods:IR remote controller,USB mouse
- Smart camera settings: privacy masking, camera lock, colour setting & title display
- Supports 2 SATA HDD, 2 USB2.0
- Live, recording, playback & backup
- Pan Tilt Zoom and speed dome control supporting over 60 protocols including preset, scan, auto, pan, auto tour, pattern, auxiliary function supported
- Easy backup - USB devices, network download & client software
- Alarm triggering screen tips, buzzer, PTZ, e-mail & FTP upload
- VGA, BNC & HDMI video Outputs
- Dvd writer

THE DISCOVERY DVR'S ONLY WORK WITH THE DISCOVERY APP

DISCOVERY APP

DISCOVERY APP
Compatible with iphone
Android Smart Mobiles

8 CHANNELS	HD SIZE	D1	FPS	
EDEN-8-1TB	1TB	200	30	FULL D1
EDEN-8-2TB	2TB	200	30	
EDEN-8-4TB	4TB	200	30	
EDEN-8-6TB	6TB	200	30	
16 CHANNELS				
EDEN-16-1TB	1TB	400	30	FULL D1
EDEN-16-2TB	2TB	400	30	
EDEN-16-4TB	4TB	400	30	
EDEN-16-6TB	6TB	400	30	

DOWNLOAD ANDRIOD APP

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

EL-DORADO DVR

DISCOVERY APP

CONSUMER RANGE

HDMI

8/16 CHANNEL FULL D1 REAL TIME RECORDING

WHY BUY THE EL-DORADO DVR, 2U CASE

- 8/16 CHANNEL VIDEO INPUTS & 8/16 SIMULTANEOUS PLAYBACK
- 8/16 CHNS FULL D1 REATIME RECORDING
- VGA, BNC & HDMI VIDEO OUTPUTS • 8/16 CHANNEL LOOP OUTPUTS

EL-DORADO KEY FEATURES

- H.264 dual-stream video compression
- Up to 8/16 cameras with real time display
- Pentaplex function giving live recording, playback,backup & remote access
- Supports Dual stream giving mobile monitoring and network transmission
- Smart video detection: motion detection, camera blank, video loss
- Smart camera settings: privacy masking, camera lock, colour setting & title display
- Live, recording, playback & backup
- Pan Tilt Zoom and speed dome control supporting over 60 protocols
- Easy backup - USB devices, network download & client software
- Supports 8 SATA HDD (8 SATA HDD WITHOUT DVD WRITER), 2 x USB.20
- Alarm triggering screen tips, buzzer, PTZ, e-mail & FTP upload
- VGA, BNC & HDMI video Outputs
- 8/16 channel loop outputs • DVD Writer

8 CHANNELS	HD SIZE	D1	FPS	
ELDORADO-8-1TB	1TB	200	25	FULL D1
ELDORADO-8-2TB	2TB	200	25	
ELDORADO-8-4TB	4TB	200	25	
ELDORADO-8-8TB	8TB	200	25	
ELDORADO-8-12TB	12TB	200	25	
16 CHANNELS				
ELDORADO-16-1TB	1TB	400	25	FULL D1
ELDORADO-16-2TB	2TB	400	25	
ELDORADO-16-4TB	4TB	400	25	
ELDORADO-16-8TB	8TB	200	25	
ELDORADO-16-12TB	12TB	200	25	

NEW DVR

YOUTUBE SCAN

DEMO ON YOUTUBE

DISCOVERY APP

NEW!

DOWNLOAD ANDRIOD

APP

DISCOVERY APP
Compatible with iphone
Android Smart Mobiles

THE DISCOVERY DVR'S ONLY WORK WITH THE DISCOVERY APP

Cut down on install training time and show your customers our Discovery app demos

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

STAR BUYS

EYEBALL CAMERAS

3.6mm LENS

0.00 LUX

3-AXIS GIMBLE

DAY NIGHT

ARMOURED HOUSING

DUAL RING NO IR REFLECTION

24 IR LEDS

12V DC

AUTO WHITE BALANCE

MULTIPLE COLOR OPTIONS, 600TVL

White Black Grey

CMOS 600 TVL

3.6mm FIXED LENS, 24PCS IR LEDS, 20-25M IR Range

EYEBALL SPECIFICATION:

- CCD 1/3”
- DSP: SONY 3142R CMOS
- Lens: 3.6mm fixed lens
- Min Ill: 0 Lux IR on
- Res: 600TVL
- IR: 24pcs
- IR Range: 20-25m
- Voltage: 12V DC, 100mA

FEATURES:

- Internal/external
- Auto white balance
- Color/Mono
- Armoured housing
- 3-Axis Gimble
- Dual ring design
- Screw base (No IR reflection)
- Simple install
- Day and night

STAR BUYS ★ STAR BUYS ★ STAR BUYS

CODE:	LENS	RES
EYE-600-FG-N	GREY 3.6MM	600TVL
EYE-600-FB-N	BLACK 3.6MM	600TVL
EYE-600-FW-N	WHITE 3.6MM	600TVL

STAR BUYS ★ STAR BUYS ★ STAR BUYS

IR Range UP TO 25M

2 YEAR WARRANTY

EYEBALL DOMES

Joystick operated eyeball camera, 3.6/4-9/2.8-12mm Lens, 600/650tvl, 36pcs

CONSUMER RANGE

DAY NIGHT

0.00 LUX

OSD MENU

36 IR LEDS

DIGITAL WIDE DYNAMIC RANGE DWDR

12V DC

UP TO 30M IR RANGE



Multiple color options
OSD JOYSTICK CONTROL
(VARI-FOCAL MODEL)

WHITE GREY

IR Range

UP TO 30M

EYEBALL FEATURES:

- Internal/ External
- Auto White Balance
- Color/Mono
- Armoured Housing
- 3 Axis Gimble
- Dual Ring (No IR Reflection)
- Screw base, simple install
- Day and night

NEXTCHIP 2040:

- CCD: 1/3" INTERLINE
- DSP: NEXTCHIP 2040
- Lens: 4-9mm Korean Vari
  2.8-12mm Vari
  3.6 Fixed lens
- Min Ill: 0 Lux (IR ON)
- Res: 600TVL
- IR: 36pcs
- IR Range: 20-30m
- Voltage: 12V DC

NXT 2040 600 TVL

2 YEARS LIMITED WARRANTY

CODE:	LENS	RES	COLOR
EYE-N35-FG-N	3.6mm FIXED	600TVL	GREY
EYE-N35-FB-N	3.6mm FIXED	600TVL	BLACK
EYE-N35-FW-N	3.6mm FIXED	600TVL	WHITE

CODE:	LENS	RES	COLOR
EYE-N35-VG-N	4-9mm VARI	600TVL	GREY
EYE-N35-VB-N	4-9mm VARI	600TVL	BLACK
EYE-N35-VW-N	4-9mm VARI	600TVL	WHITE

CODE:	LENS	RES	COLOR
EYE-SN34-FG-N	3.6mm FIXED	600TVL	GREY
EYE-SN34-FW-N	3.6mm FIXED	600TVL	WHITE

CODE:	LENS	RES	COLOR
EYE-SN34-V2G-N	2.8-12mm VARI	600TVL	GREY
EYE-SN34-V2W-N	2.8-12mm VARI	600TVL	WHITE

WHITE GREY

EFFIO-E 650 TVL

FEATURES:

- Internal/external
- Auto white balance
- Color/Mono
- Armoured housing
- 3-Axis Gimble
- Dual ring design
- Screw base (No IR reflection)
- Simple install
- Day and night

SPECIFICATON:

- CCD: 1/3" SONY 960h EXVIEW
- DSP: SONY EFFIO-E
- Lens: 2.8-12mm Varifocal
- Min Ill: 0 Lux (IR ON)
- Res: 650TVL
- IR: 36pcs
- IR Range: 25-30m
- Voltage: 12V DC

SMART IR

ATR

CODE:	LENS	RES	COLOR
EYE-E36-V2G-N	2.8-12mm VARI	650TVL	GREY
EYE-E36-V2W-N	2.8-12mm VARI	650TVL	WHITE

IR Range

UP TO 30M

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

40M P440 CAMERAS

All in one armoured P440, 2.8-12mm Lens, 600TVL, 48PCS IR LEDS

CONSUMER RANGE

DAY NIGHT

SUN SHIELD

IP66 WATER-PROOF

OSD MENU

48 IR LEDS

IR SMART

12V DC

UP TO 40M IR RANGE NEXTCHIP 2040

DIGITAL WIDE DYNAMIC RANGE DWDR

2.8 - 12mm LENS

NXT 2040 600 TVL

2 YEAR WARRANTY

IR Range

UP TO 40M

SPECIFICATON:

- CCD: 1/3" INTERLINE
- DSP: NEXTCHIP 2040
- Lens: 2.8-12mm Varifocal
- Min Ill: 0 Lux (IR ON)
- Res: 600 TVL
- IR: 48pcs
- IR Range: Up to 40m
- Voltage: 12V DC

FEATURES:

- Cable managed bracket
- External zoom and focus
- Sun Shield
- 40-50m IR Range
- Day / Night Operation
- IR Corrective Lens
- Water Resistance IP66
- Back Light Compensation

NEXTCHIP 2040:

- Anti-Ghost 2DNR
- Digital Wide Dynamic range
- High Light Compensation
- Lens Shading Correction
- Day and Night Selection
- Controlled by OSD Menu
- Parking line guide display

NEXTCHIP 2040

DIGITAL WDR OFF

DIGITAL WDR ON

CODE:	LENS	RES	IR LEDS	DSP	IR RANGE
P400-N35-V2G40-N	2.8-12mm VARI	600TVL	48pcs	NEXTCHIP 2040	40-50M
P400-N35-V2G30-N	2.8-12mm VARI	600TVL	48pcs	NEXTCHIP 2040	30-40M

CODE:	LENS	RES	IR LEDS	DSP	IR RANGE
P400-SN35-V2G40-N	2.8-12mm VARI	600TVL	48pcs	NEXTCHIP 2040	40-50M
P400-SN35-V2G30-N	2.8-12mm VARI	600TVL	48pcs	NEXTCHIP 2040	30-40M

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

QVIS SECURITY

CABLE & TRANSMISSION

Shotgun Cable, CRIMP CONNECTORS, BALUNS

SHOTGUN CABLE 500FT Wooden Drum



CODE:	Mtr
RG59SG500-N	500FT

RG59SG500-N - SPECIFICATIONS	
Conductor:	
Composition (No.in)	20 AWG (1/0.032in)
Material	Pure Copper Wire
Diameter (in)	0.032in
Insulation	
Material	Foam Polyethylene
Thickness (in)	0.057in
Nom.Diameter (in)	1.46 ± 0.006mm
Shield	
Composition (No./in)	
Material	Copper clad Aluminium
Diameter	36AWG
Coverage	>95%
Electrical characteristic	
Impedance	75±3 Ω
Material	Foam Polyethylene
Insulation Resistance	>1000
Capacitance	16.3±3

FEATURES:

- RG59 Video + power CCTV Cable
- 500FT in a distribution box
- Power and Video in one Cable
- Power cords color coded
- Industry Standard Cab

BNC CRIMP CONNECTORS, 100% COPPER PIN

CODE:	INFORMATION
DC2.2-N	Female
DC2.1-N	Male

BNC MALE TO FEMALE

- BNC male to female with mini cable 25 on both sides
- Passive type, no power needed
- Prevent video-signal distortion caused by video ground loops
- Eliminates picture tearing, cross talk and rolling
- Prevent power cables laid by others interfering with CCTV Signal
- Built in TVS (Transient Voltage Suppressors) for surge protection

CODE
TT-600-N

TWIN PACK
PASSIVE BALUN

- 1 Balun with dongle cable
- Easy to use terminals for single pair cable

CODE
TTP111LJDK-N

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

POWER SUPPLY & TESTER

5 AMP PSU, CCTV TESTER DEVICE

5 Amp PSU with 4 camera adapter, mains lead is included, short circuit proof

A plug in 5 amp, 12 volt power supply and 4 camera adapter to provide power. 5 amps provides plenty of power for larger cameras with more powerful Infra-red illumination and easily copes with less demanding cameras such as the internal domes or smaller day/night products.

CODES:	Info
PSU5-4WAY-N	5 Amp

Multi-function CCTV tester device, to test Ptz function, Network, Monitors & Cameras

CODES:
TEST-003-N

SPECIFICATIONS:

- Operated by using a visual and simple OSD menu
- Signal Mode NTSC/PAL automatically detected
- Display 2.5 inch LCD screen,960 x 240 resolution
- Video Input 1 Channel BNC
- Video Output 1 Channel BNC
- Communications RS232, RS422 simplex, and RS485
- Protocol Pelco D, Pelco P, Samsung,
- Baud Rate 2400,4800,9600,19200
- Signal Generator Output 1 Channel Video signal for monitor test
- UTP Cable Test-Test UTP cable connection pinout status.
- Data Test-Test the RS485 data from controller or DVR
- Operation OSD Menu
- Power Adapter DC 9V-12V (Supplied)
- Rechargeable 5 Hours charge time, work for 5 hours usage
- Low Consumption Sleep mode, display battery power status

TEL: 877-557-QVIS (877-557-7847) www.qvissecurity.com sales@qvissecurity.com

DISCOVER WHATS IN STORE

AVALON

4 CHN D1
8/16 CHN REAL TIME CIF
REAL TIME CIF RECORDINGS

H.264 • PENTAPLEX • VGA + BNC
SMART PHONE COMPATIBLE
USB BACKUP

FULL SPECIFICATION P35

SHANGRI-LA

8 +16 D1 RT RECORDING
4 CHN ALARM INPUTS

PENTAPLEX • 1U SIZE • SIMPLE GUI
HDMI/VGA+ BNC
SMART PHONE COMPATIBLE
USB BACKUP

FULL SPECIFICATION P38

EDEN

8 +16 FULL D1 RECORDING
4 CHN ALARM INPUTS

PENTAPLEX • 1.5U SIZE
HDMI/VGA+ BNC
SMART PHONE COMPATIBLE
DVD WRITER

FULL SPECIFICATION P39

EL-DORADO

8 +16 D1 RT RECORDING
6 CHN ALARM INPUTS

PENTAPLEX • DVD WRITER
HDMI/VGA+ BNC • 2U SIZE
SMART PHONE COMPATIBLE
8 + 16 LOOP THROUGH

FULL SPECIFICATION P40

DISCOVERY DVR RANGE P35-40